




Postoperative Day: 4




Postoperative Day: 5




Postoperative Day: 7




Postoperative Day: 8



Postoperative Day: 9



Postoperative Day: 10




09393652 091099

093655-091099 660T60-25966E60

Mouse

1



2




died during Nair-ing

No Rx



cut 1 2




surrounding N Skin contracted

Buffer ID



died during surgical excision of skin

Buffer SC



cut 3 ← numbering of mouse
↑ ears

1 μ g ID



cut 3 ← hole

10 μ g ID



cut



10 μ g SC

FIG. 3A




C 3^{cut}

100 μ g ID




car
cut
off

100 μ g SC



cut } hole

200 μ g SC



Rat 9F9G 10 μ g
ID









-  necrotic
-  haemorrhagic area
-  graft fallen off ;
underlying wound visible
-  healthy area
-  less healthy area



FIG. 3B

Mouse :-
#1




#2



No Rx



dry
wound
seen



Surrounding
(N) Skin

dry
shrivelled
graft

Buffer ID



contracted,
graft
dry,
peeling
off



contracted
wound

Buffer SC

wound



dry
wound



dry
graft
(N)
surrounding
skin

1 μ g ID



wound
seen
graft
peeling
off




dry

10 μ g ID





wound
seen
dry
graft,
peeling
off




10 μ g SC

FIG. 4A


0993652 091099 660160 2596660




100 μ g ID



100 μ g SC



200 μ g SC



Rat 9756 10 μ g ID









FIG. 4B




No Rx





Buffer ID




Buffer SC



1 μ g ID





10 μ g ID





10 μ g SC

FIG. 5A



09393652-091099
660760-2595660



100µg ID



100µg SC



200µg SC



Rat gp96 10µg ID









FIG. 5B


09393652 091099




No Rx




Buffer ID




Buffer SC



1 μ g ID





10 μ g ID



10 μ g SC

FIG. 6A



09393652-091099





100 μ g ID



100 μ g SC



200 μ g SC



Rat gp96 10 μ g ID









FIG. 6B




No Rx




Buffer ID




Buffer SC



1 μ g ID



10 μ g ID



graft, dead & dry, peeling off

10 μ g SC

FIG. 7A

09393652-091099




FIG. 7B